



Certificate of Analysis

Compliance Test

Client Information:

St.Rains
511 Marigny St
Apt 307
New Orleans, Louisiana
70117

Manufacturing Facility:

St.Rains
511 Marigny St
Apt 307
New Orleans, Louisiana 70117

Batch Data:

Batch #(s) STR070226

Batch Date: 2026-07-02
Extracted From: Hemp

Order Details:

Test Reg State: Georgia

Order

STR260810-010001
Order Date: 2026-08-10
Sample # AAHX805

Receipt Date:

2026-08-17
Lab Batch Date: 2026-08-17
Completion Date: 2026-08-21

Density:

1 g/ml
Volume: 355 ml

Net Weight per Serving:

355 ml
Servings Per Package:
1



Product Image



**Potency
Tested**



**HHCP
Passed**



**Heavy Metals
Passed**



**Mycotoxins
Passed**



**Pesticides
Passed**



**Residual Solvents
Passed**



**Pathogenic Microbiology
Passed**



**Microbiology
Passed**



**Filth and Foreign
Passed**



Potency Summary

Total HHC	<LOQ	Delta 9 THC	0.00135%
per Serving	0.00 mg	per Serving	4.79 mg
per Package	0.00 mg	per Package	4.79 mg
Total Active CBD	0.00234%	Total CBG	<LOQ
per Serving	8.31 mg	per Serving	0.00 mg
per Package	8.31 mg	per Package	0.00 mg
Total CBN	<LOQ	Total Cannabinoids	0.00369%
per Serving	0.00 mg	per Serving	13.1 mg
per Package	0.00 mg	per Package	13.1 mg
Total Active THC	0.00135%		
per Serving	4.79 mg		
per Package	4.79 mg		

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per regulatory state rule GA. Failed - Analyte/microbe is at the level that equal or above the action limit per state rule. The results apply to the sample as received. Client supplied the net weight of ml

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

St.Rains

511 Marigny St

Apt 307

New Orleans, Louisiana

70117

Manufacturing Facility:

St.Rains

511 Marigny St

Apt 307

New Orleans, Louisiana 70117

Batch Data:

Batch #(s) STR070226

Batch Date: 2026-07-02

Extracted From: Hemp

Order Details:

Test Reg State: Georgia

Order #

STR260810-010001

Order Date: 2026-08-10

Sample # AAHX805

Receipt Date: 2026-08-17

Lab Batch Date: 2026-08-17

Completion Date: 2026-08-21

Density: 1 g/ml

Volume: 355 ml

Net Weight per Serving:

355 ml

Servings Per Package:

1



Potency (GA) LCUV

Sample Weight: 320000.000 mg

Tested

SOP13.001,SOP13.050 (LCMS)

Analyte	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)		Per Serving (mg)	Per Package (mg)
CBD	0.0000540	7.5E-5	0.0234	0.00234		8.30	8.30
Delta-9 THC	0.000013	7.5E-5	0.0135	0.00135		4.78	4.78
CBDA	0.00001	0.015	<LOQ	<LOQ		0.00	0.00
CBG	0.000248	0.015	<LOQ	<LOQ		0.00	0.00
CBGA	0.00008	0.015	<LOQ	<LOQ		0.00	0.00
CBN	0.000014	0.015	<LOQ	<LOQ		0.00	0.00
Delta-10 THC	0.000003	0.015	<LOQ	<LOQ		0.00	0.00
Delta-8 THC	0.000026	0.015	<LOQ	<LOQ		0.00	0.00
Delta-9 THC-O Acetate	0.000077	0.03	<LOQ	<LOQ		0.00	0.00
Exo-THC	0.00023	0.015	<LOQ	<LOQ		0.00	0.00
THCA-A	0.000032	0.015	<LOQ	<LOQ		0.00	0.00
Total Active THC			0.0135	0.00135		4.62	4.62
Total Active CBD			0.0234	0.00234		8.17	8.17

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

St.Rains

**511 Marigny St
Apt 307**

**New Orleans, Louisiana
70117**

Manufacturing Facility:

St.Rains
511 Marigny St
Apt 307
New Orleans, Louisiana 70117

Batch Data:

Batch #(s) STR070226

Batch Date: 2026-07-02
Extracted From: Hemp

Order Details:

Test Reg State: Georgia

Order #

STR260810-010001
Order Date: 2026-08-10
Sample # AAHX805

Receipt Date: 2026-08-17

Lab Batch Date: 2026-08-17
Completion Date: 2026-08-21

Density: 1 g/ml

Volume: 355 ml

Net Weight per Serving:

355 ml
Servings Per Package:
1



Microbiology AC TYM BTGN plating - (GA)

Sample Weight: 1036.000 mg

Passed
SOP13.003 (Petrifilm)

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Bile tolerant gram-negative bacteria	100	1000	<100	Total Yeast/Mold	1000	10000	<1000
Total Aerobic Count	1000	100000	<1000				



Filtration and Foreign Material - (GA)

Sample Weight: N/A Dilution Factor: 1.000

Passed
SOP13.020 (Electronic Balance)

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.00	Weight %	1	0.00
Feces	0.5	0.00			



Pathogenic Microbiology SAE (MicroArray)

Sample Weight: 1024.300 mg

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

St.Rains

511 Marigny St

Apt 307

New Orleans, Louisiana

70117

Manufacturing Facility:

St.Rains

511 Marigny St

Apt 307

New Orleans, Louisiana 70117

Batch Data:

Batch #(s) STR070226

Batch Date: 2026-07-02

Extracted From: Hemp

Order Details:

Test Reg State: Georgia

Order

STR260810-010001

Order Date: 2026-08-10

Sample # AAHX805

Receipt Date:

2026-08-17

Lab Batch Date: 2026-08-17

Completion Date: 2026-08-21

Density:

1 g/ml

Volume: 355 ml

Net Weight per Serving:

355 ml

Servings Per Package:

1



Heavy Metals - (GA) (Edible)

Sample Weight: 251.800 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 198.570

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	0.013	100	500	<LOQ	Lead (Pb)	0.007	100	500	<LOQ
Cadmium (Cd)	0.003	100	500	<LOQ	Mercury (Hg)	0.016	100	500	<LOQ



Residual Solvents (GA-4)

Sample Weight: 1000.000 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.417	53.6	800000	<LOQ	Heptane	0.001	29.8	500000	<LOQ
Ethanol	0.002	59.5	5000000	3740000	Hexane	0.068	25	100000	<LOQ




Mycotoxins - (GA)

Sample Weight: 596.200 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.520

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	0.304	1.9	20	<LOQ	Aflatoxin G2	0.271	1.9	20	<LOQ
Aflatoxin B2	0.077	1.9	20	<LOQ	Ochratoxin A	0.754	3.8	20	<LOQ
Aflatoxin G1	0.304	1.9	20	<LOQ					



Aixa Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

St.Rains

511 Marigny St

Apt 307

New Orleans, Louisiana

70117

Manufacturing Facility:

St.Rains

511 Marigny St

Apt 307

New Orleans, Louisiana 70117

Batch Data:

Batch #(s) STR070226

Batch Date: 2026-07-02

Extracted From: Hemp

Order Details:

Test Reg State: Georgia

Order #

STR260810-010001

Order Date: 2026-08-10

Sample # AAHX805

Receipt Date: 2026-08-17

Lab Batch Date: 2026-08-17

Completion Date: 2026-08-21

Density: 1 g/ml

Volume: 355 ml

Net Weight per Serving:

355 ml

Servings Per Package:

1

HHCP HHCP

Sample Weight: 320000.000 mg

Dilution Factor: 40.000

Passed

SOP13.001,SOP13.050 (LCUV,LCMS)

Analyte	LOD (%)	LOQ (%)	Result (µg/ml)	(%)	Analyte	LOD (%)	LOQ (%)	Result (µg/ml)	(%)
(9R)-HHC	0.000	0.075	<LOQ	<LOQ	CBC	0.000	0.075	<LOQ	<LOQ
(9S)-HHC	0.000	0.075	<LOQ	<LOQ	Delta-8 THC methyl ether	0.000	0.075	<LOQ	<LOQ
1(R)-H4-CBD	0.000	0.15	<LOQ	<LOQ	Delta-9 THC methyl ether	0.000	0.075	<LOQ	<LOQ
1(S)-H4-CBD	0.000	0.15	<LOQ	<LOQ	H2-CBD	0.000	0.075	<LOQ	<LOQ
9(R)-HHCP	0.000	0.075	<LOQ	<LOQ	Total HHC	0.000	0.075	<LOQ	<LOQ
9(S)-HHCP	0.000	0.075	<LOQ	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

St.Rains

511 Marigny St

Apt 307

New Orleans, Louisiana

70117

Manufacturing Facility:

St.Rains

511 Marigny St

Apt 307

New Orleans, Louisiana 70117

Batch Data:

Batch #(s) STR070226

Batch Date: 2026-07-02

Extracted From: Hemp

Order Details:

Test Reg State: Georgia

Order #

STR260810-010001

Order Date: 2026-08-10

Sample # AAHX805

Receipt Date: 2026-08-17

Lab Batch Date: 2026-08-17

Completion Date: 2026-08-21

Density: 1 g/ml

Volume: 355 ml

Net Weight per Serving:

355 ml

Servings Per Package:

1

Pesticides - (GA)

Sample Weight: 596.200 mg

Dilution Factor: 2.520

Passed

SOP13.007 (LCMS/GCMS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	0.399	100	100	<LOQ	Fludioxonil	0.360	100	100	<LOQ
Acephate	0.141	100	100	<LOQ	Hexythiazox	0.113	100	100	<LOQ
Acequinocyl	2.178	100	100	<LOQ	Imazalil	0.258	100	100	<LOQ
Acetamiprid	0.140	100	100	<LOQ	Imidacloprid	0.402	100	100	<LOQ
Aldicarb	0.203	100	100	<LOQ	Kresoxim Methyl	0.182	100	100	<LOQ
Azoxystrobin	0.188	100	100	<LOQ	Malathion	0.223	100	100	<LOQ
Bifenazate	0.086	100	100	<LOQ	Metaxyl	0.270	100	100	<LOQ
Bifenthrin	0.100	100	100	<LOQ	Methiocarb	0.118	100	100	<LOQ
Boscalid	0.595	100	100	<LOQ	Methomyl	0.064	100	100	<LOQ
Carbaryl	0.122	100	100	<LOQ	Mevinphos	0.093	100	100	<LOQ
Carbofuran	0.086	100	100	<LOQ	Myclobutanil	0.573	100	100	<LOQ
Chlorantraniliprole	0.084	100	100	<LOQ	Oxamyl	0.041	100	100	<LOQ
Chlordane	1.900	100	100	<LOQ	Paclobutrazol	0.186	100	100	<LOQ
Chlorpyrifos	0.109	100	100	<LOQ	Permethrin	0.624	100	100	<LOQ
Coumaphos	0.206	100	100	<LOQ	Phosmet	0.127	100	100	<LOQ
Cyfluthrin	0.980	100	100	<LOQ	Piperonylbutoxide	0.149	100	100	<LOQ
Cypermethrin	0.985	100	100	<LOQ	Prallethrin	1.476	100	100	<LOQ
Daminozide	1.655	100	100	<LOQ	Propiconazole	0.294	100	100	<LOQ
Diazinon	0.212	100	100	<LOQ	Propoxur	0.100	100	100	<LOQ
Dichlorvos	1.130	100	100	<LOQ	Pyridaben	0.140	100	100	<LOQ
Dimethoate	0.063	100	100	<LOQ	Spinetoram	0.424	100	100	<LOQ
Dimethomorph	2.581	100	100	<LOQ	Spiromesifen	0.120	100	100	<LOQ
Ethoprophos	0.151	100	100	<LOQ	Spirotetramat	0.211	100	100	<LOQ
Etofenprox	0.172	100	100	<LOQ	Spiroxamine	0.533	100	100	<LOQ
Etoxazole	0.866	100	100	<LOQ	Tebuconazole	0.230	100	100	<LOQ
Fenhexamid	0.588	100	100	<LOQ	Thiacloprid	0.170	100	100	<LOQ
Fenoxycarb	0.274	100	100	<LOQ	Thiamethoxam	0.179	100	100	<LOQ
Fipronil	0.317	100	100	<LOQ	Trifloxystrobin	0.134	100	100	<LOQ
Flonicamid	0.466	100	100	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

