



This is an amended version of report# 26-003620/D002.R001.

Reason: Updated client information.

Customer: Utokia Herb Co.

Canby Oregon 97013
 United States of America (USA)

Product identity: AT Live D9 Caramel

Material: Cannabinoid Edible

Laboratory ID: 26-003620-0001

Evidence of Cooling: No

Temp: 16.6 °C

Lot #: 5004SH_032426

Expiration Date (Client Provided): 04/01/2028

Serving Size #1: 18 g

Sample Results

Potency					Method: J AOAC 2015 V98-6 (mod) ^b		Batch: 2602522		Analyzed: 04/01/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1					
					Result	Units	LOQ			
CBC	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBC-A	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBC-Total	< LOQ	%	0.0134		< LOQ	mg/18g	2.42			
CBD [±]	0.00826	%	0.0072		1.49	mg/18g	1.29			
CBD-A [±]	0.0108	%	0.0072		1.95	mg/18g	1.29			
CBD-Total [±]	0.0177	%	0.0134		3.19	mg/18g	2.42			
CBDV	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBDV-A	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBDV-Total	< LOQ	%	0.0134		< LOQ	mg/18g	2.41			
CBE	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBG	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBG-A	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBG-Total	< LOQ	%	0.0134		< LOQ	mg/18g	2.41			
CBL	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBL-A	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBL-Total	< LOQ	%	0.0134		< LOQ	mg/18g	2.42			
CBN	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
CBT	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
Δ10-THC-9R	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
Δ10-THC-9S	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
Δ10-THC-Total	< LOQ	%	0.0143		< LOQ	mg/18g	2.58			
Δ8-THC [±]	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
Δ8-THCV	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
Δ9-THC [±]	0.229	%	0.0072		41.1	mg/18g	1.29			
Δ9-THC-A [±]	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
Δ9-THC-Total [±]	0.229	%	0.0134		41.2	mg/18g	2.42			
Δ9-THCP	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			
Δ9-THCV	< LOQ	%	0.0072		< LOQ	mg/18g	1.29			



Potency	Method: J AOAC 2015 V98-6 (mod) ^b	Batch: 2602522	Analyzed: 04/01/26
----------------	---	-----------------------	---------------------------

Analyte	Result	Units	LOQ	Notes	Serving Size #1		
					Result	Units	LOQ
Δ9-THCV-A	< LOQ	%	0.0072		< LOQ	mg/18g	1.29
Δ9-THCV-Total	< LOQ	%	0.0134		< LOQ	mg/18g	2.41
exo-THC	< LOQ	%	0.0072		< LOQ	mg/18g	1.29
Total Cannabinoids	0.248	%			44.6	mg/18g	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Salmonella spp. [±]	Negative		/25g		2602328	03/27/26 AOAC 2020.02 ^b		
EHEC including STEC [±]	Negative		/25g		2602330	03/27/26 AOAC 2020.06 ^b		

Solvents	Method: Residual Solvents by HS-GC-MS ^b	Units µg/g	Batch 2602448	Analyze: 03/27/26
-----------------	---	-------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [±]	< LOQ	380	100	pass		2-Butanol [±]	< LOQ	5000	200	pass	
2-Ethoxyethanol [±]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [±]	< LOQ		200		
2-Methylpentane [±]	< LOQ		30.0			2-Propanol (IPA) [±]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [±]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [±]	< LOQ		200		
2,3-Dimethylbutane [±]	< LOQ		30.0			3-Methylpentane [±]	< LOQ		30.0		
Acetone [±]	< LOQ	5000	200	pass		Acetonitrile [±]	< LOQ	410	100	pass	
Benzene [±]	< LOQ	2.00	1.00	pass		Butanes (sum) [±]	< LOQ	5000	400	pass	
Cyclohexane [±]	< LOQ	3880	200	pass		Ethyl acetate [±]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [±]	< LOQ	5000	200	pass	
Ethylene glycol [±]	< LOQ	620	200	pass		Ethylene oxide [±]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [±]	< LOQ	290	150	pass		Isopropyl acetate [±]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [±]	< LOQ	70.0	30.0	pass		m,p-Xylene [±]	< LOQ		200		
Methanol [±]	< LOQ	3000	200	pass		Methylene chloride [±]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [±]	< LOQ		200			n-Butane [±]	< LOQ		200		
n-Heptane [±]	< LOQ	5000	200	pass		n-Hexane [±]	< LOQ		30.0		
n-Pentane [±]	< LOQ		200			o-Xylene [±]	< LOQ		200		
Pentanes (sum) [±]	< LOQ	5000	600	pass		Propane [±]	< LOQ	5000	200	pass	
Tetrahydrofuran [±]	< LOQ	720	100	pass		Toluene [±]	< LOQ	890	100	pass	
Total Xylenes [±]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 2602519	Analyze: 04/01/26
-------------------	--	--------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [±]	< LOQ	0.50	0.250	pass		Acephate [±]	< LOQ	0.40	0.200	pass	
Acequinocyl [±]	< LOQ	2.0	1.00	pass		Acetamiprid [±]	< LOQ	0.20	0.100	pass	
Aldicarb [±]	< LOQ	0.40	0.200	pass		Azoxystrobin [±]	< LOQ	0.20	0.100	pass	
Bifenazate [±]	< LOQ	0.20	0.100	pass		Bifenthrin [±]	< LOQ	0.20	0.100	pass	
Boscalid [±]	< LOQ	0.40	0.200	pass		Carbaryl [±]	< LOQ	0.20	0.100	pass	
Carbofuran [±]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [±]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [±]	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl [±]	< LOQ	0.20	0.100	pass	
Clofentezine [±]	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) [±]	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) [±]	< LOQ	1.0	0.500	pass		Daminozide [±]	< LOQ	1.0	0.500	pass	
Diazinon [±]	< LOQ	0.20	0.100	pass		Dichlorvos [±]	< LOQ	1.0	0.500	pass	



Pesticides										
Method: AOAC 2007.01 & EN 15662 (mod)						Units mg/kg		Batch 2602519		Analyze: 04/01/26
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status
Dimethoate [±]	< LOQ	0.20	0.100	pass		Ethoprophos [±]	< LOQ	0.20	0.100	pass
Etofenprox [±]	< LOQ	0.40	0.200	pass		Etioazox [±]	< LOQ	0.20	0.100	pass
Fenoxycarb [±]	< LOQ	0.20	0.100	pass		Fenpyroximate [±]	< LOQ	0.40	0.200	pass
Fipronil [±]	< LOQ	0.40	0.200	pass		Flonicamid [±]	< LOQ	1.0	0.400	pass
Fludioxonil [±]	< LOQ	0.40	0.200	pass		Hexythiazox [±]	< LOQ	1.0	0.400	pass
Imazalil [±]	< LOQ	0.20	0.100	pass		Imidacloprid [±]	< LOQ	0.40	0.200	pass
Kresoxim-methyl [±]	< LOQ	0.40	0.200	pass		Malathion [±]	< LOQ	0.20	0.100	pass
Metalaxyl [±]	< LOQ	0.20	0.100	pass		Methiocarb [±]	< LOQ	0.20	0.100	pass
Methomyl [±]	< LOQ	0.40	0.200	pass		MGK-264 [±]	< LOQ	0.20	0.100	pass
Myclobutanil [±]	< LOQ	0.20	0.100	pass		Naled [±]	< LOQ	0.50	0.250	pass
Oxamyl [±]	< LOQ	1.0	0.500	pass		Paclobutrazole [±]	< LOQ	0.40	0.200	pass
Parathion-methyl [±]	< LOQ	0.20	0.100	pass		Permethrin [±]	< LOQ	0.20	0.100	pass
Phosmet [±]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [±]	< LOQ	2.0	1.00	pass
Prallethrin [±]	< LOQ	0.20	0.100	pass		Propiconazole [±]	< LOQ	0.40	0.200	pass
Propoxur [±]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [±]	< LOQ	1.0	0.500	pass
Pyridaben [±]	< LOQ	0.20	0.100	pass		Spinosad [±]	< LOQ	0.20	0.100	pass
Spiromesifen [±]	< LOQ	0.20	0.100	pass		Spirotetramat [±]	< LOQ	0.20	0.100	pass
Spiroxamine [±]	< LOQ	0.40	0.200	pass		Tebuconazole [±]	< LOQ	0.40	0.200	pass
Thiacloprid [±]	< LOQ	0.20	0.100	pass		Thiamethoxam [±]	< LOQ	0.20	0.100	pass
Trifloxystrobin [±]	< LOQ	0.20	0.100	pass						

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic [±]	< LOQ	0.200	mg/kg	0.0162	2602396	03/27/26 AOAC 2013.06 (mod.) ^b	pass	
Cadmium [±]	< LOQ	0.200	mg/kg	0.0162	2602396	03/27/26 AOAC 2013.06 (mod.) ^b	pass	
Lead [±]	< LOQ	0.500	mg/kg	0.0162	2602396	03/27/26 AOAC 2013.06 (mod.) ^b	pass	
Mercury [±]	< LOQ	0.100	mg/kg	0.00812	2602396	03/27/26 AOAC 2013.06 (mod.) ^b	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 [±]	< LOQ		µg/kg	5.00	2602425	03/30/26 Mycotoxins by AOAC 2007.01		
Aflatoxin B2 [±]	< LOQ		µg/kg	5.00	2602425	03/30/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G1 [±]	< LOQ		µg/kg	5.00	2602425	03/30/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G2 [±]	< LOQ		µg/kg	5.00	2602425	03/30/26 Mycotoxins by AOAC 2007.01		
Ochratoxin A [±]	< LOQ	20.0	µg/kg	5.00	2602425	03/30/26 Mycotoxins by AOAC 2007.01	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		04/01/26 Mycotoxins by AOAC 2007.01 ^b	pass	

Notes:

Measurement of Uncertainty for D9 THC in edibles is +/- 7.5%.

**Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Threshold Note: OAR 333-007-0400

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% wt = $\mu\text{g/g}$ divided by 10,000

/25g = Per 25g

$\mu\text{g/g}$ = Microgram per gram

$\mu\text{g/kg}$ = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

mg/18g = Milligram per 18g

Approved Signatory



Derrick Tanner
General Manager




Laboratory Quality Control Results

Residual Solvents					Batch ID: 2602448				
Method Blank					Laboratory Control Sample				
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
1,1,1-Trichloroethane	ND	< 5		6.43	5	µg/g	128.6	50-150	
1,2-Dichloroethane	ND	< 1		1.33	1	µg/g	133.0	50-150	
1,2-Dichloroethene, trans-	ND	< 1		1.27	1	µg/g	127.0	50-150	
1,2-dimethoxyethane	ND	< 50		121	178	µg/g	68.0	50-150	
1,4-Dioxane	ND	< 100		499	504	µg/g	99.0	60-120	
2,2-Dimethylbutane	ND	< 30		177	171	µg/g	103.5	60-120	
2,2-Dimethylpropane	ND	< 200		1480	956	µg/g	154.8	60-120	
2,3-Dimethylbutane	ND	< 30		156	166	µg/g	94.0	60-120	
2-Butanol	ND	< 200		1400	1620	µg/g	86.4	60-120	
2-Ethoxyethanol	ND	< 30		137	165	µg/g	83.0	60-120	
2-Methylbutane	ND	< 200		1610	1610	µg/g	100.0	60-120	
2-Methylpentane	ND	< 30		200	167	µg/g	119.8	60-120	
2-Propanol	ND	< 200		1480	1610	µg/g	91.9	60-120	
3-Methylpentane	ND	< 30		158	163	µg/g	96.9	60-120	
Acetone	ND	< 200		1590	1610	µg/g	98.8	60-120	
Acetonitrile	ND	< 100		473	506	µg/g	93.5	60-120	
Benzene	ND	< 1		1.15	1	µg/g	115.0	50-150	
Butane	ND	< 200		1050	769	µg/g	136.5	60-120	
Chloroform	ND	< 1		1.33	1	µg/g	133.0	50-150	
Cumene	ND	< 30		169	162	µg/g	104.3	60-120	
Cyclohexane	ND	< 200		1580	1610	µg/g	98.1	60-120	
Dichloromethane	ND	< 1		1.19	1	µg/g	119.0	50-150	
Ethanol	ND	< 200		1580	1620	µg/g	97.5	60-120	
Ethyl acetate	ND	< 200		1480	1620	µg/g	91.4	60-120	
Ethyl Ether	ND	< 200		1640	1610	µg/g	101.9	60-120	
Ethyl Formate	ND	< 500		2470	1620	µg/g	152.5	50-150	Q1
Ethylbenzene	ND	< 200		1010	969	µg/g	104.2	60-120	
Ethylene Glycol	ND	< 200		388	503	µg/g	77.1	60-120	
Ethylene Oxide	ND	< 1		1.25	1	µg/g	125.0	50-150	
Heptane	ND	< 200		1280	1610	µg/g	79.5	60-120	
Hexane	ND	< 30		176	166	µg/g	106.0	60-120	
Isobutane	ND	< 200		1070	770	µg/g	139.0	60-120	
Isobutyl Acetate	ND	< 500		840	1610	µg/g	52.2	50-150	
Isopropyl Acetate	ND	< 200		1360	1610	µg/g	84.5	60-120	
m,p-Xylene	ND	< 200		1040	994	µg/g	104.6	60-120	
Methanol	ND	< 200		1370	1620	µg/g	84.6	60-120	
Methyl Acetate	ND	< 500		1270	1610	µg/g	78.9	50-150	
Methylisobutylketone	ND	< 500		860	1620	µg/g	53.1	50-150	
MTBE	ND	< 500		1480	1610	µg/g	91.9	50-150	
o-Xylene	ND	< 200		916	981	µg/g	93.4	60-120	
Pentane	ND	< 200		1570	1610	µg/g	97.5	60-120	
Propane	ND	< 200		755	585	µg/g	129.1	60-120	Q1
Tetrahydrofuran	ND	< 100		462	488	µg/g	94.7	60-120	
Toluene	ND	< 100		493	505	µg/g	97.6	60-120	
Trichloroethylene	ND	< 1		1.3	1	µg/g	130.0	50-150	
Triethylamine	ND	< 500		1190	1610	µg/g	73.9	50-150	


 Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate
Sample ID: 26-003669-0001

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1,1-Trichloroethane	ND	ND	5	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane, trans-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm


Laboratory Quality Control Results
J AOAC 2015 V98-6 **Batch ID: 2602522**
Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0306	0.0310	%	98.7	80.0 - 120	Acceptable	
CBDV	2	0.0327	0.0333	%	98.0	80.0 - 120	Acceptable	
CBE	2	0.0350	0.0359	%	97.5	80.0 - 120	Acceptable	
CBDA	1	0.0307	0.0313	%	98.1	90.0 - 110	Acceptable	
CBGA	1	0.0315	0.0325	%	97.1	80.0 - 120	Acceptable	
CBG	1	0.0307	0.0321	%	95.8	80.0 - 120	Acceptable	
CBD	1	0.0283	0.0294	%	96.3	90.0 - 110	Acceptable	
THCV	2	0.0218	0.0213	%	102	80.0 - 120	Acceptable	
d8THCV	2	0.0336	0.0345	%	97.4	80.0 - 120	Acceptable	
THCVA	2	0.0404	0.0405	%	99.9	80.0 - 120	Acceptable	
CBN	1	0.0293	0.0303	%	96.8	80.0 - 120	Acceptable	
exo-THC	2	0.0306	0.0306	%	100	80.0 - 120	Acceptable	
d9THC	1	0.0314	0.0322	%	97.7	90.0 - 110	Acceptable	
d8THC	1	0.0275	0.0287	%	95.6	90.0 - 110	Acceptable	
9S-d10THC	1	0.0327	0.0339	%	96.4	80.0 - 120	Acceptable	
CBL	2	0.0292	0.0312	%	93.6	80.0 - 120	Acceptable	
9R-d10THC	1	0.0340	0.0355	%	96.0	80.0 - 120	Acceptable	
CBC	2	0.0338	0.0330	%	102	80.0 - 120	Acceptable	
THCA	1	0.0321	0.0332	%	96.9	90.0 - 110	Acceptable	
CBCA	2	0.0317	0.0317	%	100.0	80.0 - 120	Acceptable	
CBLA	2	0.0324	0.0325	%	99.7	80.0 - 120	Acceptable	
d9THCP	2	0.0312	0.0310	%	101	80.0 - 120	Acceptable	
CBT	2	0.0330	0.0331	%	99.6	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBDV	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBE	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBDA	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBGA	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBG	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBD	<LOQ	0.00166	%	< 0.00166	Acceptable	
THCV	<LOQ	0.00166	%	< 0.00166	Acceptable	
d8THCV	<LOQ	0.00166	%	< 0.00166	Acceptable	
THCVA	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBN	<LOQ	0.00166	%	< 0.00166	Acceptable	
exo-THC	<LOQ	0.00166	%	< 0.00166	Acceptable	
d9THC	<LOQ	0.00166	%	< 0.00166	Acceptable	
d8THC	<LOQ	0.00166	%	< 0.00166	Acceptable	
9S-d10THC	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBL	<LOQ	0.00166	%	< 0.00166	Acceptable	
9R-d10THC	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBC	<LOQ	0.00166	%	< 0.00166	Acceptable	
THCA	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBCA	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBLA	<LOQ	0.00166	%	< 0.00166	Acceptable	
d9THCP	<LOQ	0.00166	%	< 0.00166	Acceptable	
CBT	<LOQ	0.00166	%	< 0.00166	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

AOAC 2015 V98-6			Batch ID: 2602522					
Sample Duplicate			Sample ID: 26-003620-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBDA	0.0108	0.0108	0.00750	%	0.0241	< 10	Acceptable	
CBGA	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBD	0.00804	0.00826	0.00750	%	2.69	< 10	Acceptable	
THCV	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
d9THC	0.230	0.229	0.00750	%	0.801	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.00750	%	NA	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00750	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00750	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent